

PRODUCT BULLETIN

greenteQ Clearspan Bi-fold Door Hardware



The Complete Solution for System S1000 Bi-Fold Doors

greenteQ Clearspan bi-fold door hardware for System S1000 folding doors has proved immensely popular since its launch in 2013.

Manufacturers, installers and end-users alike instantly recognise the many features and benefits that make Clearspan stand out from the crowd.

Manufacturers remark how easy the product is to fit, with minimal routing of the profile; installers appreciate the handy vertical adjustment on the roller assemblies that make installation so much easier and quicker, and end users love the smooth operating action and unobtrusive nature of the slimline hardware that shows off the clean lines of the aluminium profile.

Since launching, we have introduced many new options and products to the range. These include half sets, the attractive Anthracite Grey finish, locking systems for the main and intermediate door sashes, magnetic catches and restrictors.

This document aims to give an overview of what is now the complete Clearspan solution for System S1000 bi-fold doors.

Benefits at a glance:

- Profile - specific design ensures all parts fit the System S1000 aluminium profile perfectly
- Suits DV28, DV29, DV23 and DV26 profiles
- Slimline hardware is unobtrusive and maximises the clean lines of the door
- 3 attractive finishes: Black, White and Anthracite Grey
- Half sets to simplify even-number door configurations
- 5mm vertical adjustment makes the installer's job easier
- Lock set for main door provides secure locking and smooth operation through tapered hooks, linear bolts and cams
- Intermediate lock works with Clearline handles to secure the whole door
- Q-star profile cylinders provide TS007 1-star protection
- Magnetic catches hold the sashes together in the open position
- 90° restrictor prevents damage to main door or external brick work
- Alpha slim door handles in 5 colour options provide a perfect match or an eye-catching contrast to the door colour

VBH (GB) Ltd
VBH House, Bailey Drive,
Gillingham Business Park,
Gillingham, Kent
ME8 0WG
Tel: 01634 263263
Fax: 01634 263504
Email: sales@vbhgb.com
Online: www.vbhgb.com



greenteQ Clearspan Bi-fold Door Hardware

The Complete Solution for System S1000 Bi-Fold Doors

Top Guide and Bottom Roller



Description	White RAL9016	Black RAL9005	Anth.Grey RAL7016	Box Qty
Top Guide	4QBF1001	4QBF1002	4QBF1003	10
Bottom Roller	4QBF1031	4QBF1032	4QBF1033	10

Hinge



Description	White RAL9016	Black RAL9005	Anth.Grey RAL7016	Box Qty
Hinge	4QBF1061	4QBF1062	4QBF1063	50

Top Guide and Bottom Roller Half Set



Description	White RAL9016	Black RAL9005	Anth.Grey RAL7016	Box Qty
Top Guide	4QBF1011	4QBF1012	4QBF1013	10
Bottom Roller	4QBF1041	4QBF1042	4QBF1043	10

Hinge with Pull Handle




Description	White RAL9016	Black RAL9005	Anth.Grey RAL7016	Box Qty
Hinge with Pull	4QBF1071	4QBF1072	4QBF1077	25
Description	Black/PVD Gold	Black/Pol. Chrome	Black/Stn Chrome	Box Qty
Hinge with Pull	4QBF1073	4QBF1074	4QBF1075	25

greenteQ Clearspan Bi-fold Door Hardware

The Complete Solution for System S1000 Bi-Fold Doors

Main Door Lock Kit



- Hooks and compression cams provide security and smooth closing
- Hook/linear bolt combination locking points provide excellent security
- Benefits from strong Yale branding
- One piece striker plate speeds up fitting time
- Perfect partner for Clearspan bi-fold hardware
- Easy ordering with just one part number

Description	VBH Code
LH Yale Lock Kit	4QBF1023
RH Yale Lock Kit	4QBF1024

The correct handing is determined as follows;

LH Kit = LEFT hand hung OUTWARD or RIGHT hand hung INWARD opening door viewed from outside

RH Kit = RIGHT hand hung OUTWARD or LEFT hand hung INWARD opening door viewed from outside

Alpha Slim Lever/Lever



- 92PZ
- 2 screw fix on 250mm backplate (220mm backplate also available)
- Sprung lever
- Flange around cylinder hole for gap elimination
- M6 screws for added strength
- Non handed

Finish	VBH Code	Box Qty
White (RAL9016)	2QHB0321	12
Black (RAL9005)	2QHB0324	12
Anthracite Grey (RAL7016)	2QHB0330	12
Polished Chrome	2QHB0326	12
Satin Chrome	2QHB0327	12

90° Restrictor


The restrictor sits in the top of the main passage door to restrict its opening angle, thus preventing the sash from opening against any external brickwork.

Description	VBH Code	Box Qty
335mm Restrictor	2GBA0295	50
500mm Restrictor	2GBA0296	50

greenteQ Clearspan Bi-fold Door Hardware

The Complete Solution for System S1000 Bi-Fold Doors

Intermediate Lock



Intermediate Lock

- Locking system for intermediate meeting points
- Robust gearbox is covered by attractive black Q-branded cover
- Shootbolt ends are pre-assembled onto strong 8mm threaded rod
- Shootbolt end is tapered for smooth lead-in
- 24mm bolt throw

Description	VBH Code	Box Qty
Intermediate Gearbox	4QBF1051	25
Intermediate Gearbox Cover (Black)	4QBF1052	100
Low Shootbolt End Guide For DV28 and DV29	4QBF1059	100
Standard Shootbolt End Guide For DV23 AND DV26	4QBF1053	100
1300mm Shootbolt Rod	4QBF1054	100

One set comprises 1 x gearbox, 1 x gearbox cover, 2 end guides and 2 shootbolt rods


Intermediate Lock - Kits and Bulk

We also supply the Intermediate Lock System in kits and bulk quantities. By ordering using the codes below you will receive either 5 sets individually packed in kits, or enough components to gear 25 sashes.

Description	With Low Guide	With Standard Guide	Unit Qty
Individual Kit x 5	4QBF1029	4QBF1025	5 Kits
Bulk Packed sets x 25	4QBF1030	4QBF1026	25 Sets

Clearline operating handles with or without a PZ cut-out are available in 7 colours from stock

Q-Star TS007 1-Star Profile Cylinder



- TS007:2014 approved with 1 star classification
- Both ends feature specially designed tumblers and hardened pins to protect against bumping, picking and drilling
- Sacrificial break points to hamper attempts to snap and remove the cylinder
- Fit with an accredited 2 star handle for full 3 star protection
- EN1303 classification 16000C52
- Clearly identified as a TS007 1 star cylinder
- Visual deterrent on cylinder ends
- Non-handed as cylinder is protected on both ends
- 10 year greenteQ guarantee

Size	Nickel	Brass	Box Qty
50/50 (for main door)	2QCY1045	2QCY1046	10

Magnetic Catches



- Holds back sashes on Clearspan bi-fold doors
- Supplied complete with 2 fixing methods for aluminium doors
- Available in 2 heights and 6 colours
- Discreet appearance – only 30mm diameter
- greenteQ 10 year guarantee

Colour	26mm Catch Height	65mm Catch Height	Box Qty
White RAL9016	4QBF0031	4QBF0041	1 Pair
Black RAL9005	4QBF0032	4QBF0042	1 Pair
Anthracite Grey RAL7016	4QBF0037	4QBF0047	1 Pair
Silver (Window Grey) RAL7040	4QBF0038	4QBF0048	1 Pair
Polished Chrome	4QBF0034	4QBF0044	1 Pair
Satin Chrome	4QBF0035	4QBF0045	1 Pair